

# Volvo

## FE 320 6x2 fuel tank 18.8 m3 / 5 comp

### GENERAL

|                         |                                       |
|-------------------------|---------------------------------------|
| ID number               | V540224                               |
| Brand                   | Volvo                                 |
| Type                    | FE 320 6x2 fuel tank 18.8 m3 / 5 comp |
| Chassis number          | YV2VBN0C49B540224                     |
| 1st Registration Date   | 04-05-2009                            |
| Mileage (Km)            | 281050                                |
| Country of registration | FR                                    |
| Dimensions              | 870x250x340 cm                        |

### POWERTRAIN

|                   |        |
|-------------------|--------|
| Engine power (hp) | 320    |
| Gearbox type      | Manual |
| Number of gears   | 8      |
| Euro standard     | 4      |
| Differential lock | ✓      |
| ABS               | ✓      |

### CHASSIS

|                |                            |
|----------------|----------------------------|
| Empty weight   | 9945 kg                    |
| Gross weight   | 26500 kg                   |
| Wheelbase      | 410 cm (1-2), 135 cm (2-3) |
| Chassis height | 105 cm                     |
| Fuel Capacity  | 250 l                      |

### TYRES

|                  |             |
|------------------|-------------|
| Tyre size axle 1 | 315/70R22.5 |
| Tyre size axle 2 | 315/70R22.5 |
| Tyre size axle 3 | 315/70R22.5 |



### ADDITIONAL INFO

Magyar aluminium fuel tank, Net capacity 18838 litres, Nominal capacity 18000 litres, 5 Compartments (Net: 3152; 2094; 4180; 5240; 4172 // Nominal: 3000; 2000; 4000; 5000; 4000), Alfons Haar hydraulic pump, Alfons Haar digital counter, Hose reel, Vapour recovery, Optical overload sensor, Ticket printer, ADR tank code LGBF, ADR classes FL, AT (UN 1203 not authorized), Tank material code EN AW 5186 // Truck Euro 4, AdBlue, 6x2, Steel suspension front / Air suspension rear, Manual gearbox (8 gears), Volvo Engine Brake, Traction control, Cruise control, Tyres 315/70R22.5, Steering rear axle, Day cabin, Air conditioning, Digital tachometer, Rear-view camera, Shipment dimensions 870x250x340 cm

## AXLES

|                        |                  |
|------------------------|------------------|
| Number of axles        | 3                |
| Number of driven axles | 1                |
| Configuration          | 6x2              |
| Suspension axle 1      | Steel suspension |
| Suspension axle 2      | Air suspension   |
| Suspension axle 3      | Air suspension   |
| Steering axle Axle 1   | ✓                |
| Steering axle, Axle 3  | ✓                |

## SUPERSTRUCTURE

|                     |        |
|---------------------|--------|
| Make superstructure | Magyar |
|---------------------|--------|

## ADR

|              |                                 |
|--------------|---------------------------------|
| ADR          | ✓                               |
| ADR tankcode | LGBF                            |
| ADR date     | 14-03-2019                      |
| ADR Classes  | FL, AT (UN 1203 not authorized) |

## CABIN

|                 |           |
|-----------------|-----------|
| Cabin Type      | Day cabin |
| Airconditioning | ✓         |

## TANK

|                              |                                                                            |
|------------------------------|----------------------------------------------------------------------------|
| Volume (Liters)              | Net: 18838 // Nominal: 18000                                               |
| Number of compartments       | 5                                                                          |
| Volume compartments (Liters) | Net: 3152; 2094; 4180; 5240; 4172 // Nominal: 3000; 2000; 4000; 5000; 4000 |
| Material code                | EN AW 5186                                                                 |
| Tank material                | Aluminium                                                                  |
| Pump                         | ✓                                                                          |
| Counter                      | ✓                                                                          |
| Hoses                        | ✓                                                                          |
| Test pressure                | 0.32 bar                                                                   |
| Maximum work pressure        | 0.12 bar                                                                   |
| Wall thickness               | 5.27 mm (shell, rear head, baffles); 6.33 mm (front head)                  |
| Fuel                         | ✓                                                                          |