

Mercedes

Actros 1832 4x2 fuel tank 14.6 m3 / 4 comp

ADR till 27/04/2022

GENERAL

ID number	M482767
Brand	Mercedes
Type	Actros 1832 4x2 fuel tank 14.6 m3 / 4 comp ADR till 27/04/2022
Chassis number	WDB9300321L482767
1st Registration Date	05-11-2010
Mileage (Km)	298620
Country of registration	FR
Dimensions	770x250x320 cm

POWERTRAIN

Engine power (hp)	320
Gearbox type	Automatic
Retarder	✓
Type of retarder	Engine Brake
Euro standard	5
Differential lock	✓
ABS	✓

CHASSIS

Empty weight	8290 kg
Gross weight	19000 kg
Wheelbase	420 cm
Chassis height	100 cm
Fuel Capacity	270 liters
Aluminium rims	✓



ADDITIONAL INFO

Aluminium fuel tank, Total capacity 14600 litres, 4 compartemnts (3133: 2101: 4681: 4685), Alfons Haar pump & Alfons Haar counter, Tank test pressure 0,35 bar, Max. working pressure 0,12 bar, Year of manufacture 2010 // Truck Euro 5, AdBlue, Automatic gearbox, Steel suspension front, Air suspension rear, Day cabin, Air conditioning, Digital tach, Shipment dimensions 770x250x320 cm.

TYRES

Tyre size axle 1	315/80R22,5
------------------	-------------

Tyre size axle 2	315/80R22,5
------------------	-------------

AXLES

Number of axles	2
-----------------	---

Number of driven axles	1
------------------------	---

Configuration	4x2
---------------	-----

Suspension axle 1	Steel suspension
-------------------	------------------

Suspension axle 2	Air suspension
-------------------	----------------

Steering axle Axle 1	✓
----------------------	---

SUPERSTRUCTURE

Make superstructure	Trailor
---------------------	---------

ADR

ADR	✓
-----	---

ADR tankcode	LGBF
--------------	------

ADR validity	✓
--------------	---

ADR date	27-04-2022
----------	------------

ADR Classes	FL, AT
-------------	--------

CABIN

Cabin Type	Day cabin
------------	-----------

Airconditioning	✓
-----------------	---

TANK

Volume (Liters)	14600 Liters
Number of compartments	4
Volume compartments (Liters)	3133; 2101; 4681; 4685
Material code	Aluminium 5182
Tank material	Aluminium
Pump	✓
Pump -brand and type	Alfons Haar
Counter	✓
Hoses	✓
Test pressure	0.45 bar
Maximum work pressure	0.01 bar
Wall thickness	4 mm (shell), 5.28 mm (heads)
Fuel	✓