

Volvo,FMS

FH 420 6X2 Euro 6 car/machinery transporter / platform volume combination

GENERAL

| | |
|-----------------------------------|--|
| ID number | V688474 |
| Brand | Volvo |
| Type | FH 420 6X2 Euro 6 car/machinery transporter / platform volume combination |
| Chassis number | YV2RTW0C2EB688474 |
| 1st Registration Date | 01-04-2014 |
| Mileage (Km) | 844950 |
| Country of registration | LUX |
| Brand drawbartrailer / trailer | FMS |
| Dimensions | 1865x255x400 cm |
| ID-nr drawbar | AM30314 |

POWERTRAIN

| | |
|-------------------|--------------------|
| Engine power (hp) | 420 |
| Gearbox type | Automatic |
| Type of retarder | Volvo Engine Brake |
| Euro standard | 6 |
| Differential lock | ✓ |
| ABS | ✓ |



ADDITIONAL INFO

TRUCK // Euro 6, AdBlue, Diff. lock, 6x2, Automatic gearbox (2 pedals), Full air suspension, Axle lift (3rd), Volvo Engine Brake, High roof cabin, Air conditioning, Night heater, 2 Beds, Digital tachometer // SUPERSTRUCTURE // FMS car/machinery transporter platform with hydraulic winch (remote-controlled), Platform dimensions 845x255 cm, Floor height 110 cm, Hydraulic ramps in platform to accommodate machinery wheels // TRAILER // FMS car/machinery transporter drawbar trailer, 3 Axles, Max. trailer weight 23000 kg, Air suspension, Tyres 205/65R17.5, BPW Eco Plus axles, Drum brakes, Dual tyres 205/65R17.5, Axle lift (1st), Platform dimensions 755x255 cm, Floor height 80 cm, Hydraulic extendable loading ramp (extends 148 cm), 2 Extra manual aluminium ramps, Hydraulic ramps in platform to accommodate machinery wheels, Chassis no. W09299323E0M30316 // Total shipping dimensions truck + trailer: 1865x255x400 cm (truck length: 1090 cm; trailer length 960 cm incl. drawbar)

CHASSIS

| | |
|-----------------------|--|
| Empty weight | 12485 kg (truck), 6650 kg (drawbar trailer) |
| Gross Combined Weight | 44000 kg |
| Gross weight | 26000 kg (truck), 23000 kg (drawbar trailer) |
| Wheelbase | 520 cm (1-2), 140 cm (2-3) |
| Fuel Capacity | 760 l (3 tanks) |
| Drawbar coupling | ✓ |
| Kingpin height | 35 cm |
| Kingpin diameter | 40 mm |

TYRES

| | |
|------------------|-------------|
| Tyre size axle 1 | 315/70R22.5 |
| Tyre size axle 2 | 295/60R22.5 |
| Tyre size axle 3 | 295/60R22.5 |
| Tyre size axle 4 | 205/6517.5 |
| Tyre size axle 5 | 205/6517.5 |
| Bandenmaat as 6 | 205/6517.5 |

AXLES

| | |
|------------------------|----------------|
| Number of axles | 3 |
| Number of driven axles | 1 |
| Configuration | 6x2 |
| Brand axles | Bpwecoplus |
| Drum brake | ✓ |
| Suspension axle 1 | Air suspension |
| Suspension axle 2 | Air suspension |
| Suspension axle 3 | Air suspension |
| Suspension axle 4 | Air suspension |
| Suspension axle 5 | Air suspension |
| Suspension axle 6 | Air suspension |
| Liftas as 3 | ✓ |
| Liftas as 4 | ✓ |

SUPERSTRUCTURE

| | |
|---------------------------|--|
| Platform dimensions | 845x255 cm (truck platform), 755x255 cm |
| Make superstructure | FMS |
| Floor height | 110 cm (truck platform), 80 cm (drawbar trailer) |
| Platform | ✓ |
| Dimensions superstructure | 845x255 cm (truck), 755x255 cm (drawbar trailer) |

CABIN

| | |
|-------------------|-----------|
| Cabin Type | High roof |
| Auxillary Heating | ✓ |
| Airconditioning | ✓ |
| Number of beds | 2 |

EXCEPTIONAL TRANSPORT

| | |
|------------------------|---|
| 2-delige rijplaten | ✓ |
| Adjustable ramps | ✓ |
| Hydraulic ramps | ✓ |
| Handmatige oprijplaten | ✓ |