

Mercedes

Arocs 3333 6x6 + Hiab XS288 EP-5 HiPro + manlift

GENERAL

ID number	M929633
Brand	Mercedes
Type	Arocs 3333 6x6 + Hiab XS288 EP-5 HiPro + manlift
Chassis number	WDB9640181L929633
1st Registration Date	29-04-2015
Mileage (Km)	118500
Country of registration	FI
Dimensions	920x260x400 cm

POWERTRAIN

Engine power (hp)	330
Gearbox type	Automatic
Euro standard	6
Differential lock	✓
ABS	✓

CHASSIS

Empty weight	16800 kg
Gross weight	33000 kg
Wheelbase	420 cm (1-2), 135 cm (2-3)
Fuel Capacity	300 l
Merk aanhangwagenkoppeling	VBG
Drawbar coupling	✓



ADDITIONAL INFO

Hiab XS288 EP-5 HiPro loading crane, 5 Hydraulic extensions, Max. horizontal reach 15.0 m, Max. lifting capacities: 9700 kg at 2.6 m (crane knuckle), 5800 kg at 4.5 m, 4050 kg at 6.2 m, 2940 kg at 8.2 m, 2240 kg at 10.4 m, 1800 kg at 12.7 m, 1520 kg at 15.0 m, Radio remote control, Hook, Year of manufacture 2015 // Vahva B27 hydraulic grapple and rotator, Petterssons Smide SP 800 manlift basket (max. load 220 kg, max. two persons) // Steel open box with aluminium side boards, Internal dimensions 524x254x60 cm, Floor height 150 cm, Head board height 90 cm, Rear doors // Truck Euro 6 (AdBlue), 6x6 All-wheel drive, Steel suspension, Automatic gearbox (2 pedals), VBG drawbar trailer hitch, Front tyres 385/65R22.5, Rear tyres 315/80R22.5 Day cabin, Air conditioning, Night heater, Digital tachometer, Shipment dimensions 920x260x400 cm

TYRES

Tyre size axle 1	385/65R22.5
Tyre size axle 2	315/80R22.5
Tyre size axle 3	315/80R22.5

AXLES

Number of axles	3
Number of driven axles	3
Configuration	6x6
Suspension axle 1	Steel suspension
Suspension axle 2	Steel suspension
Suspension axle 3	Steel suspension
Steering axle Axle 1	✓

SUPERSTRUCTURE

Make superstructure	Hiab
Floor height	150 cm
Open box	✓
Dimensions superstructure	524x254x60 cm

CABIN

Cabin Type	Day cabin
Auxillary Heating	✓
Airconditioning	✓

CRANE

Brand crane	Hiab
Type crane	XS288 EP-5 HiPro
Year of manufacture	2015
Maximum crane length	15.0 m
Loading capacities	9700 kg at 2.6 m (crane knuckle), 5800 kg at 4.5 m, 4050 kg at 6.2 m, 2940 kg at 8.2 m, 2240 kg at 10.4 m, 1800 kg at 12.7 m, 1520 kg at 15.0 m
Remote control	✓
Number of support legs	2
Crane behind cabin	✓
Number of hydraulic extensions	5
Hook	✓
Grapple	✓
Rotator	✓