

Scania

R450 6x2 Euro 6 + Retarder + Palfinger

PK34002-SH G

GENERAL

ID number	S106534
Brand	Scania
Type	R450 6x2 Euro 6 + Retarder + Palfinger PK34002-SH G
Chassis number	YS2R6X20002106534
1st Registration Date	13-03-2015
Mileage (Km)	262000
Country of registration	NL
Dimensions	1020x255x360 cm

POWERTRAIN

Engine power (hp)	450
Gearbox type	Automatic
Retarder	✓
Type of retarder	Scania Retarder
Euro standard	6
Differential lock	✓
ABS	✓



ADDITIONAL INFO

Palfinger PK34002-SH G loading crane, 8 Hydraulic extensions, Max. horizontal reach 21.3 m, Max. lifting capacities: 6300 kg at 4 m; 3000 kg at 8 m; 1740 kg at 12 m; 1200 kg at 16 m; 1040 kg at 18 m; 930 kg at 21.3 m; Radio remote control, 4 Support legs, Year of manufacture 2016 // Steel open box with aluminium side boards, Floor height 120 cm, Box dimensions 650x252x80 cm // Truck Euro 6, AdBlue, Diff. lock, Full air suspension (incl. front axle), 6x2 with rear axle lift and steering, Opticruise automatic gearbox, Retarder, Drawbar trailer hitch (60 mm), Led rear lights, Flash lights, Highline cabin, Air conditioning / Climate control, Night heater, 2 Beds, Leather seat with heating, Refrigerator, Camera system, Satellite navigation, Shipment dimensions 1020x255x360 cm

CHASSIS

Empty weight	16875 kg
Gross Combined Weight	66000 kg
Gross weight	28000 kg
Wheelbase	470 cm (1-2), 135 cm (2-3)
Fuel Capacity	400 l
Merk aanhangwagenkoppeling	VBG
Drawbar coupling	✓
Kingpin diameter	60 mm

TYRES

Tyre size axle 1	385/65R22.5
Tyre size axle 2	295/80R22.5
Tyre size axle 3	385/65R22.5

AXLES

Number of axles	3
Number of driven axles	1
Configuration	6x2
Suspension axle 1	Air suspension
Suspension axle 2	Air suspension
Suspension axle 3	Air suspension
Lift as 3	✓
Steering axle Axle 1	✓
Steering axle, Axle 3	✓

SUPERSTRUCTURE

Floor height	120 cm
Open box	✓
Dimensions superstructure	650x252x80 cm

CABIN

Cabin Type	High roof
Auxillary Heating	✓
Airconditioning	✓
Number of beds	2

CRANE

Brand crane	Palfinger
Type crane	PK34002-SH G
Year of manufacture	2016
Maximum crane length	21.3 m (horizontal)
Loading capacities	6300 kg at 4 m; 3000 kg at 8 m; 1740 kg at 12 m; 1200 kg at 16 m; 1040 kg at 18 m; 930 kg at 21.3 m
Remote control	✓
Number of support legs	4
Crane behind cabin	✓
Number of hydraulic extensions	8