

# Iveco

## AD410T50 8x4 + PM 85028 SP

### GENERAL

ID number	I235742
Brand	Iveco
Type	AD410T50 8x4 + PM 85028 SP
Chassis number	WJMJ4CUS40C235742
1st Registration Date	26-01-2012
Mileage (Km)	353700
Country of registration	NL
Dimensions	1055x255x370 cm

### POWERTRAIN

Engine power (hp)	500
Gearbox type	Automatic
Retarder	✓
Type of retarder	Retarder
Euro standard	5
Differential lock	✓
ABS	✓

### CHASSIS

Empty weight	27050 kg
Gross weight	41000 kg
Wheelbase	188 cm (1-2) 285 cm (2-3) 144 cm (3-4)
Chassis height	115 cm
Fuel Capacity	260 L
Merk aanhangwagenkoppeling	TAV
Drawbar coupling	✓
Kingpin diameter	50 mm



### ADDITIONAL INFO

PM 85028 SP loading crane with hook, 6 hydraulic extensions, Max. hydraulic horizontal reach: 20,65m, Max lifting capacities: 23000 kg at 2,45m, 14270 kg at 4.70m, 10200 kg at 6.40m, 7670 kg at 8.10m, 6000 kg at 10m, 4840 kg at 11,90m, 4000 kg at 14m, 3365 kg at 16,15m, 2910 kg at 18,40m, 2570 kg at 20.65m, 6 support legs, Radio remote control, Year of manufacture 2010 // Steel platform, platform dimensions: 600x255x120 cm, twistlock for 20 ft container , floor height 120 cm , Headboard height 120 cm // Euro 5, AdBlue, 8x4, Full steel suspension, Automatic gearbox, Tyre sizes: 385/65R22.5 front and 315/80R22.5 rear, Disc brakes front, Drum brakes rear, TAV drawback trailer hitch, Day cabin, Airconditioning, Digital tachograph, Shipment dimensions: 1055x255x370 cm.

## TYRES

Tyre size axle 1	385/65R22.5
Tyre size axle 2	385/65R22.5
Tyre size axle 3	315/80R22.5
Tyre size axle 4	315/80R22.5

## AXLES

Number of axles	4
Number of driven axles	2
Configuration	8x4
Disc brake	✓
Drum brake	✓
Suspension axle 1	Steel suspension
Suspension axle 2	Steel suspension
Suspension axle 3	Steel suspension
Suspension axle 4	Steel suspension
Steering axle Axle 1	✓
Steering axle, Axle 2	✓

## SUPERSTRUCTURE

Platform dimensions	600x255x120 cm
Floor height	120 cm
Platform	✓
Container superstructure	20 ft

## CABIN

Cabin Type	Day cabin
Airconditioning	✓

CRANE

Brand crane	PM
Type crane	85028 SP
Year of manufacture	2010
Maximum crane length	20.65 M
Loading capacities	23000 kg at 2,45m, 14270 kg at 4.70m, 10200 kg at 6.40m, 7670 kg at 8.10m, 6000 kg at 10m, 4840 kg at 11,90m, 4000 kg at 14m, 3365 kg at 16,15m, 2910 kg at 18,40m, 2570 kg at 20.65m.
Remote control	✓
Number of support legs	6
Crane behind cabin	✓
Number of hydraulic extensions	8
Hook	✓