

# D.A.F.

## CF 85.360 6X2 Euro 5 + Palfinger PK26002-EH

### E

#### GENERAL

ID number	D751560
Brand	D.A.F.
Type	CF 85.360 6X2 Euro 5 + Palfinger PK26002-EH E
Chassis number	XLRAS85MC0E751560
1st Registration Date	11-05-2007
Mileage (Km)	692450
Country of registration	SE
Dimensions	1000x255x350 cm

#### POWERTRAIN

Engine power (hp)	360
Gearbox type	Manual
Number of gears	16
Euro standard	5
Differential lock	✓
ABS	✓

#### CHASSIS

Empty weight	14780 kg
Gross Combined Weight	70000 kg
Gross weight	28000 kg
Wheelbase	480 cm (1-2), 140 cm (2-3)
Chassis height	100 cm
Fuel Capacity	400 l



#### ADDITIONAL INFO

Palfinger PK26002-EH E loading crane, 1723 Working hours, 6 Hydraulic extensions, 2 Extra hydraulic function connections, Radio remote control, Hook, Max. horizontal reach 16.7 m, Max. vertical reach 21 m, Max. lifting capacities: 4500 kg at 4.4 m, 2900 kg at 6.3 m, 2050 kg at 8.2 m, 1520 kg at 10.3 m, 1180 kg at 12.4 m, 980 kg at 14.5 m, 840 kg at 16.7 m, 2 Support legs, Year of manufacture 2012 // Open box with aluminium side boards, Internal dimensions 655x250x90 cm, Floor height 115 cm, Headboard height 160 cm // Truck Euro 5, AdBlue, Diff. lock, 6x2, Manual gearbox (16 gears), Steel suspension front / Air suspension rear, Tyres 1st and 3rd axle: 385/65R22.5, Tyres 2nd axle: 295/80R22.5, Day cabin, Air conditioning, Night heater, Auxiliary engine pre-heating, Digital tachometer, Shipment dimensions 1000x255x350 cm

## TYRES

Tyre size axle 1	385/65R22.5
Tyre size axle 2	295/80R22.5
Tyre size axle 3	385/65R22.5

## AXLES

Number of axles	3
Number of driven axles	1
Configuration	6x2
Suspension axle 1	Steel suspension
Suspension axle 2	Air suspension
Suspension axle 3	Air suspension
Liftas as 3	✓
Steering axle Axle 1	✓

## SUPERSTRUCTURE

Floor height	115 cm
Open box	✓
Dimensions superstructure	655x250x90 cm

## CABIN

Cabin Type	Day cabin
Auxillary Heating	✓
Airconditioning	✓

CRANE

Working hours	1723
Brand crane	Palfinger
Type crane	PK26002
Year of manufacture	2012
Maximum crane length	16.7 m (horizontal), 21 m (vertical)
Loading capacities	4500 kg at 4.4 m, 2900 kg at 6.3 m, 2050 kg at 8.2 m, 1520 kg at 10.3 m, 1180 kg at 12.4 m, 980 kg at 14.5 m, 840 kg at 16.7 m
Remote control	✔
Number of support legs	2
Crane behind cabin	✔
Lifting moment	22.4
Number of hydraulic extensions	6
Extra hydraulic connections	2
Hook	✔