

Kassbohrer

5-axle semi-lowbed trailer / 74000 kg / ext.

15.2 m

GENERAL

ID number	0049913
Brand	Kassbohrer
Type	5-axle semi-lowbed trailer / 74000 kg / ext. 15.2 m
Chassis number	***WKVDAS00500049913
1st Registration Date	25-04-2013
Country of registration	NL
Dimensions	1410x275x365 cm

POWERTRAIN

ABS 

CHASSIS

Empty weight	14360 kg
Gross weight	74000 kg
Wheelbase	136 cm
Chassis height	90 cm
Kingpin diameter	2 inches
Kingpin height	130 cm

TYRES

Tyre size axle 1	245/70R17.5
Tyre size axle 2	245/70R17.5
Tyre size axle 3	245/70R17.5
Tyre size axle 4	245/70R17.5
Tyre size axle 5	245/70R17.5



ADDITIONAL INFO

EU IMPORT DUTIES PAID // CE CERTIFICATE AVAILABLE // DUTCH REGISTRATION // 5-axle extendable semi-lowbed trailer with hydraulic ramps, 2 Steering rear axles, 2 Lift axles (front), Air suspension, Drum brakes, SAF axles, Dual tyres 245/70R17.5, ABS // Max. gross weight 58000 kg, Max. kingpin load 18000 kg, Max. weight per axle 10000 kg // DIMENSIONS // Min. load bed length 924 cm, Max. load bed length 1524 cm (extends 600 cm), Load bed height 90 cm, Load bed width 275 cm, Gooseneck length 395 cm, Gooseneck loading height 145 cm, Gooseneck width 254 cm, Headboard height 60 cm, Kingpin height 125 cm, Distance between kingpin and centre of first axle: 541 cm, Ramp length 395 cm, Adjustable ramp width, Axle spacing 136 cm, Total shipment dimensions (not extended): 1410x275x365 cm

AXLES

Number of axles	5
Brand axles	Saf
Drum brake	✓
Suspension axle 1	Air suspension
Suspension axle 2	Air suspension
Suspension axle 3	Air suspension
Suspension axle 4	Air suspension
Suspension axle 5	Air suspension
Lift axle Axle 1	✓
Lift axle - axle 2	✓
Steering axle, Axle 4	✓
Steering axle, Axle 5	✓

SUPERSTRUCTURE

Make superstructure	Kassbohrer
Floor height	90 cm
Platform	✓

EXCEPTIONAL TRANSPORT

2-delige rijplaten	✓
Adjustable ramps	✓
Extendable	✓
Max. length	1524 cm (extends 600 cm)
Extendable width	✓
Max width	275 cm
Ramp length	395 cm
Load bed length	Min. 924 cm, max. 1524 cm
Goose neck length	395 cm
Axle plateau length	Min. 924 cm, max. 1524 cm
Hydraulic ramps	✓

