

# Volvo

FH16 660 8x4 + Fassi F800BXP.26/L516 +

Open box

## GENERAL

|                         |                                                 |
|-------------------------|-------------------------------------------------|
| ID number               | V635841                                         |
| Brand                   | Volvo                                           |
| Type                    | FH16 660 8x4 + Fassi F800BXP.26/L516 + Open box |
| Chassis number          | YV2AUJ0G07A635841                               |
| 1st Registration Date   | 19-06-2007                                      |
| Mileage (Km)            | 262650                                          |
| Country of registration | NO                                              |
| Dimensions              | 840x250x400                                     |

## POWERTRAIN

|                   |                    |
|-------------------|--------------------|
| Gearbox type      | Automatic          |
| Type of retarder  | Volvo Engine Brake |
| Number of gears   | 12                 |
| Euro standard     | 4                  |
| Differential lock | ✓                  |
| ABS               | ✓                  |

## CHASSIS

|                    |                                 |
|--------------------|---------------------------------|
| Empty weight       | 24155                           |
| Gross weight       | 39000                           |
| Wheelbase          | 200 (1-2), 230 (2-3), 136 (3-4) |
| Fifth wheel height | 130 cm                          |
| Fuel Capacity      | 440 litres                      |
| Drawbar coupling   | ✓                               |
| Kingpin diameter   | 2 inch                          |



## TYRES

|                  |             |
|------------------|-------------|
| Tyre size axle 1 | 385/65R22.5 |
| Tyre size axle 2 | 385/65R22.5 |
| Tyre size axle 3 | 295/80R22.5 |
| Tyre size axle 4 | 295/80R22.5 |

## AXLES

|                        |                  |
|------------------------|------------------|
| Number of axles        | 4                |
| Number of driven axles | 2                |
| Configuration          | 8x4              |
| Suspension axle 1      | Steel suspension |
| Suspension axle 2      | Steel suspension |
| Suspension axle 3      | Air suspension   |
| Suspension axle 4      | Air suspension   |
| Steering axle Axle 1   | ✓                |
| Steering axle, Axle 2  | ✓                |

## CABIN

|                   |           |
|-------------------|-----------|
| Cabin Type        | High roof |
| Auxillary Heating | ✓         |
| Airconditioning   | ✓         |
| Number of beds    | 1         |

## ADDITIONAL INFO

Fassi F700B/800BXP.26 loading crane, 6 hydraulic extensions on main crane, 6 hydraulic extensions on flyjib, Max. outreach incl. jib: 28.10 m, Max. outreach without jib: 16.50 m, Max. lifting capacity 21500 kg at 2.95 m (without jib), max.2200 kg at 16.50 m, 850 kg at 28.10 m, Lifting moment 66.50 t/m, Radio remote control, 4 Support legs, Hook, Year of manufacture 2006 // Truck 8x4, Rear air suspension, Automatic gearbox, Volvo Engine Brake, Front tyres 385/65R22.5, Rear tyres 295/80R22.5, Max. train weight 60000 kg, Max. gross tractor weight 39000 kg, Max. gross weight per axle: 9000 / 9000 / 10500 / 10500, Fifth wheel height 130 cm, Drawbar trailer coupling, High roof cabin, 1 Bed, Air conditioning, Night heater, Rear-view camera, TV, DVD, Radio-CD // Total shipment dimensions 840x250x400 cm

## CRANE

|                                |                                                                                                                                                                                                                                                                      |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brand crane                    | Fassi                                                                                                                                                                                                                                                                |
| Type crane                     | F700B/800BXP.26                                                                                                                                                                                                                                                      |
| Year of manufacture            | 2006                                                                                                                                                                                                                                                                 |
| Maximum crane length           | Horizontal outreach:<br>16.50 m without jib, 28.10 m with jib // Vertical outreach: 21 m without jib, 31.5 m with jib                                                                                                                                                |
| Loading capacities             | With jib: 2200kg/16.50m, 1800kg/18.50m, 1430kg/20.50m, 1290kg/21.85m, 1180kg/23.25m, 1080kg/24.80m, 995kg/26.40kg, 850kg/28.10m // Without jib: 21500kg/2.95m, 15290kg/4.35m, 10940kg/6.00m, 8255kg/7.75m, 6470kg/9.65m, 5220kg/11.75m, 4350kg/13.90m, 3655kg/16.15m |
| Remote control                 | ✓                                                                                                                                                                                                                                                                    |
| Number of support legs         | 4                                                                                                                                                                                                                                                                    |
| Crane behind cabin             | ✓                                                                                                                                                                                                                                                                    |
| Lifting moment                 | 66.50 tm                                                                                                                                                                                                                                                             |
| Number of hydraulic extensions | 6                                                                                                                                                                                                                                                                    |
| Hook                           | ✓                                                                                                                                                                                                                                                                    |
| Winch                          | ✓                                                                                                                                                                                                                                                                    |
| Type flyjib                    | L516                                                                                                                                                                                                                                                                 |
| Flyjib                         | ✓                                                                                                                                                                                                                                                                    |
| Winch capacity                 | 36.8 m/min on 1st layer, 46.9 m/min on 4th layer                                                                                                                                                                                                                     |