

D.A.F.

CF 85.410 8X2 RHD + Hiab XS855 EP6 Hipro

GENERAL

ID number	ED012278
Price (excl. VAT)	€ 92.000
Brand	D.A.F.
Type	CF 85.410 8X2 RHD + Hiab XS855 EP6 Hipro
Chassis number	XLRAC85MCOG012278
1st Registration Date	01-01-2013
Mileage (Km)	309000
Country of registration	UK
Dimensions	990x250x410 cm

POWERTRAIN

Engine power (hp)	410
Gearbox type	Automatic
Euro standard	5
Differential lock	✓
ABS	✓

CHASSIS

Empty weight	13500 kg
Gross weight	34000 kg
Wheelbase	205 cm (1-2) 300 cm (2-3) 140 cm (3-4)
Chassis height	100 cm
Fuel Capacity	400 L
Merk aanhangwagenkoppeling	VBG
Drawbar coupling	✓



ADDITIONAL INFO

NON DUTY FREE VEHICLE, REQUIRES CUSTOMS CLEARANCE // RIGHT-HAND DRIVE // Hiab XS855 EP6 Hipro loading crane with hook, Max horizontal reach 16.3 meters, Max load capacities 18000 kg at 3.0 meters, 16700 kg at 3.9 meters, 14.600 kg at 4.7 meters, 10.800 kg at 6.2 meters, 8100 kg at 8.0 meters, 6400 kg at 9.9 meters, 5200 kg at 11.9 meters, 4350 kg at 14.1 meters, 3750 kg at 16.3 meters, 6 Hydraulic extensions, 4 support legs, radio control, Year of construction 2013 // Truck 8x2, RHD, Automatic gearbox, Diff. lock, Adblue, Euro 5, Steel front suspension, Air rear suspension, 3rd axle lift and steering axle, Day cabin, Digital tachograph, Shipment dimensions 990x250x410 cm

TYRES

Tyre size axle 1	315/80R22.5
Tyre size axle 2	315/80R22.5
Tyre size axle 3	315/80R22.5
Tyre size axle 4	315/80R22.5

AXLES

Number of axles	4
Number of driven axles	1
Configuration	8x2
Suspension axle 1	Steel suspension
Suspension axle 2	Steel suspension
Suspension axle 3	Air suspension
Suspension axle 4	Air suspension
Liftas as 4	✓
Steering axle Axle 1	✓
Steering axle, Axle 2	✓
Steering axle, Axle 4	✓

SUPERSTRUCTURE

Make superstructure	Hiab
Platform	✓
Dimensions superstructure	570x250 cm

CABIN

Cabin Type	Day cabin
Right hand drive	✓

CRANE

Brand crane	Hiab
Type crane	XS855 EP6 Hipro
Year of manufacture	2013
Maximum crane length	16.30 m
Loading capacities	18000 kg at 3.0 meters, 16700 kg at 3.9 meters, 14.600 kg at 4.7 meters, 10.800 kg at 6.2 meters, 8100 kg at 8.0 meters, 6400 kg at 9.9 meters, 5200 kg at 11.9 meters, 4350 kg at 14.1 meters, 3750 kg at 16.3 meters
Remote control	✓
Number of support legs	4
Crane behind cabin	✓
Number of hydraulic extensions	6
Hook	✓